











LINSY 林氏家居		五金表/Hardware list				部件表/Parts List				
安装示意图/Assembly Instruction		 (A)* 61 二合一螺杆 2-in-1-screw	 (B)* 61 大三合一锁饼 Three-in-one large lock	 (C)* 25 木榫08x30mm wood tenon	 (D)* 2 三节滚珠导轨10" (SH-ABC) Three-section rail	编号NO.	名称Name	规格 (mm) Specification	数量QTY	材质Material
产品名称 Model NO.	RU1M-G 2米抽屉翻门款					①	面板Top panel	1904*398*15	1	刨花板 Particle Board
产品规格 Specification	1974*398*353mm					②	底板Bottom board	1904*383*15	1	刨花板 Particle Board
安装工具 Tool	安装人数Installer					③	上转角木Upper corner connecting wood	398*40*40	2	橡胶木 Rubber wood
 										







RU1M-G 2米抽屉翻门款	产品分解图/Exploded drawing	部件表/Parts List	
× 3		编号NO.	名称Name
		①	面板Top panel
		②	底板Bottom board
		③	上转角木Upper corner connecting wood
		④	下转角木Lower corner connection wood
		⑤	左侧板Side board (L)
		⑥	右侧板Side board (R)
		⑦	左中侧板Middle side board (L)
		⑧	右中侧板Middle side board (R)
		⑨	上拉条Top brace
		⑩	后拉条Back brace
		⑪	前脚条Front foot strip
		⑫	侧脚条Side foot strip
		⑬	背板Back board
		⑭	左抽屉面板Drawer's panel (L)
		⑮	右抽屉面板Drawer's panel (R)
		⑯	抽屉侧板Drawer's sideboard
		⑰	抽屉后板Drawer's Back board
		⑱	抽屉底板Drawer's Bottom board
		⑲	门板Door board
		⑳	抽屉底托条Drawer's bottom bracket














RU1M-G 2米抽屉翻门款 安装方法/ Installation method 二合一 two-in-one 阀门开关(下压为开) Valve switch (press down to open) 前 Forward 后 Back 主轨 Main track 副轨 Sub track 三节滚珠导轨 Three-section rail	(A)*12 (B)*12 × 2	(A)*12 (B)*12 × 2
	(D)*2 (F)*12 × 2	(A)*4 (B)*4 (C)*4


RU1M-G
2米抽屉翻门款
安装方法/
Installation method














Installation method



LINSY 林氏家居		五金表/Hardware list				部件表/Parts List				
安装示意图/Assembly Instruction		 (A)* 59 二合一螺杆 2-in-1-screw	 (B)* 59 大三合一锁饼 Three-in-one large lock	 (C)* 29 木榫08x30mm wood tenon	 (D)* 2 三节滚珠导轨10" (SH-ABC) Three-section rail	编号NO.	名称Name	规格 (mm) Specification	数量QTY	材质Material
产品名称 Model NO.	RU1M-G 2.4米抽屉翻门款					①	面板Top panel	2301*398*15	1	刨花板 Particle Board
产品规格 Specification	1974*398*353mm					②	底板Bottom board	2301*383*15	1	刨花板 Particle Board
安装工具 Tool	安装人数Installer					③	上转角木Upper corner connecting wood	398*40*40	2	橡胶木 Rubber wood
		 (E)* 14 灰色毛毡脚垫 Grey felt foot pad	 (F)* 55 自攻螺丝M3. 5x14mm Self-tapping screw	 (G)* 15 自攻大扁M4*30mm Self tapping flat screw	 (H)* 60 PVC孔贴 PVC hole sticker	④	下转角木Lower corner connection wood	383*40*40	2	橡胶木 Rubber wood
						⑤	左侧板Side board(L)	255*398*15	1	刨花板 Particle Board
						⑥	右侧板Side board(R)	255*398*15	1	刨花板 Particle Board
						⑦	左中侧板Middle side board(L)	295*335*15	1	刨花板 Particle Board
注：为保证设计效果，部分尺寸为定制尺寸，不影响使用。 		 (I)* 4 气动杆 Pneumatic rod	 (J)* 6 背板扣 Back Plate Buckle-White	 (K)* 4 缓冲门铰大弯-035 Hinge-big bends		⑧	右中侧板Middle side board(R)	295*356*15	1	刨花板 Particle Board
						⑨	中侧板Middle side board	295*319*15	1	刨花板 Particle Board
						⑩	上拉条Top brace	2341*58*15	1	刨花板 Particle Board
						⑪	后拉条Back brace	1163*58*15	1	刨花板 Particle Board
						⑫	前脚条Front foot strip	2301*58*25	1	刨花板 Particle Board
						⑬	侧脚条Side foot strip	305*58*25	5	刨花板 Particle Board
						⑭	背板Back board	584*305*5	2	纤维板 Fiberboard
						⑮	左抽屉面板Drawer's panel (L)	582*268*15	1	刨花板 Particle Board
						⑯	右抽屉面板Drawer's panel (R)	582*268*15	1	刨花板 Particle Board
						⑰	抽屉侧板Drawer's sideboard	290*174*15	4	橡胶木 Rubber wood
						⑱	抽屉后板Drawer's Back board	548*174*15	2	刨花板 Particle Board
						⑲	抽屉底板Drawer's Bottom board	528*300*5	2	刨花板 Particle Board
						⑳	门板Door board	582*268*15	2	刨花板 Particle Board




编号NO.	名称Name
①	面板Top panel
②	底板Bottom board
③	上转角木Upper corner connecting wood
④	下转角木Lower corner connection wood
⑤	左侧板Side board(L)
⑥	右侧板Side board(R)
⑦	左中侧板Middle side board(L)
⑧	右中侧板Middle side board(R)
⑨	中侧板Middle side board
⑩	上拉条Top brace
⑪	后拉条Back brace
⑫	前脚条Front foot strip
⑬	侧脚条Side foot strip
⑭	背板Back board
⑮	左抽屉面板Drawer's panel (L)
⑯	右抽屉面板Drawer's panel (R)
⑰	抽屉侧板Drawer's sideboard
⑱	抽屉后板Drawer's Back board
⑲	抽屉底板Drawer's Bottom board
⑳	门板Door board

RU1M-G 2.4米抽屉翻门款 安装方法/ Installation method  二合一 two-in-one 阀门开关(下压为开) Valve switch (press down to open) 前 Forward 后 Back 	 (A)*8 (B)*8  × 2	 (A)*8 (B)*8  × 2
主轨 Main track 副轨 Sub track 三节滚珠导轨 Three-section rail 	 (D)*2 (F)*12  × 2	 (A)*4 (B)*4 (C)*4 


RU1M-G

2.4米抽屉翻门款


安装方法/
Installation method




二合一 two-in-one




(A)*12




(B)*12




(C)*6




5




(A)*6




(B)*6




(C)*4




6




(A)*4




(B)*4




(C)*4




7




(A)*14



(B)*14



(C)*10




8

RU1M-G


2.4米抽屉翻门款

安装方法/
Installation method



大弯big bend




中弯middle bending




直弯straight bending




调节上下
Adjust up and down




调节左右
Adjust left and right



调节前后
Before and after adjustment



门铰
Hinge




背板扣
Back Plate Buckle


(E)*14



(G)*14




9



(F)*8




(J)*8




10


(D)*2



(F)*32




*4




(I)*4








X4



11




12

LINSY 林氏家居		五金表/Hardware list				部件表/Parts List				
安装示意图/Assembly Instruction		 (A)* 69 二合一螺杆 2-in-1-screw	 (B)* 69 大三合一锁饼 Three-in-one large lock	 (C)* 25 木榫08x30mm wood tenon	 (D)* 3 三节滚珠导轨10" (SH-ABC) Three-section rail	编号NO.	名称Name	规格 (mm) Specification	数量QTY	材质Material
产品名称 Model NO.	RU1M-G 2米抽屉款					①	面板Top panel	1904*398*15	1	刨花板 Particle Board
产品规格 Specification	1974*398*353mm					②	底板Bottom board	1904*383*15	1	刨花板 Particle Board
安装工具 Tool	安装人数Installer					③	上转角木Upper corner connecting wood	398*40*40	2	橡胶木 Rubber wood
  注：为保证设计效果，部分尺寸为定制尺寸，不影响使用。 	④	下转角木Lower corner connection wood	383*40*40	2	橡胶木 Rubber wood					
	⑤	左侧板Side board(L)	255*398*15	1	刨花板 Particle Board					
	⑥	右侧板Side board(R)	255*398*15	1	刨花板 Particle Board					
	⑦	中侧板Middle side board	295*335*15	2	刨花板 Particle Board					
	⑧	上拉条Top brace	1944*58*15	1	刨花板 Particle Board					
	⑨	前脚条Front foot strip	1904*58*25	1	刨花板 Particle Board					
	⑩	侧脚条Side foot strip	305*58*25	4	刨花板 Particle Board					
	⑪	背板Back board	1954*305*5	1	纤维板 Fiberboard					
	⑫	左抽屉面板Drawer's panel (L)	645*268*15	1	刨花板 Particle Board					
	⑬	中抽屉面板Drawer's middle board	645*268*15	1	刨花板 Particle Board					
	⑭	右抽屉面板Drawer's panel (R)	645*268*15	1	刨花板 Particle Board					
	⑮	抽屉侧板Drawer's sideboard	290*174*15	6	刨花板 Particle Board					
	⑯	抽屉后板Drawer's Back board	612*174*15	3	刨花板 Particle Board					
	⑰	抽屉底板Drawer's Bottom board	592*300*5	3	纤维板 Fiberboard					
	⑱	抽屉底托条Drawer's bottom bracket	290*58*15	3	刨花板 Particle Board					



RU1M-G 2米抽屉款	产品分解图/Exploded drawing	部件表/Parts List	
		编号NO.	名称Name
		①	面板Top panel
		②	底板Bottom board
		③	上转角木Upper corner connecting wood
		④	下转角木Lower corner connection wood
		⑤	左侧板Side board (L)
		⑥	右侧板Side board (R)
		⑦	中侧板Middle side board
		⑧	上拉条Top brace
		⑨	前脚条Front foot strip
		⑩	侧脚条Side foot strip
		⑪	背板Back board
		⑫	左抽屉面板Drawer's panel (L)
		⑬	中抽屉面板Drawer's middle board
		⑭	右抽屉面板Drawer's panel (R)
		⑮	抽屉侧板Drawer's sideboard
		⑯	抽屉后板Drawer's Back board
		⑰	抽屉底板Drawer's Bottom board
		⑱	抽屉底托条Drawer's bottom bracket

安装方法/
Installation method




阀门开关(下压为开) Valve switch(press down to open)
--


前 Forward ↓ 后 Back




$\times 3$



$\times 3$




$\times 3$



RU1M-G 2米抽屉款 安装方法/ Installation method 二合一 two-in-one	5 (A)*4 (B)*4 (C)*4	6 (A)*6 (B)*6 (C)*4 (I)*2
	7 (A)*4 (B)*4 (C)*4	8 (A)*12 (B)*12 (C)*8



RU1M-G 2米抽屉款

安装方法/
Installation method




背板扣
Back Plate Buckle

阀门开关(下压为开)
Valve switch (press down to open)




- (E) *12
- (G) *12




9

- (F) *8
- (H) *8




10






- (D) *3
- (F) *18




11



12


LINSY 林氏家居		五金表/Hardware list				部件表/Parts List				
安装示意图/Assembly Instruction		 (A)* 69 二合一螺杆 2-in-1-screw	 (B)* 69 大三合一锁饼 Three-in-one large lock	 (C)* 29 木榫08x30mm wood tenon	 (D)* 4 三节滚珠导轨10" (SH-ABC) Three-section rail	编号NO.	名称Name	规格 (mm) Specification	数量QTY	材质Material
产品名称 Model NO.	RU1M-G 2.4米抽屉款					①	面板Top panel	2301*398*15	1	刨花板 Particle Board
产品规格 Specification	2371*398*353mm					②	底板Bottom board	2301*383*15	1	刨花板 Particle Board
安装工具 Tool	安装人数Installer					③	上转角木Upper corner connecting wood	398*40*40	2	橡胶木 Rubber wood
 <										



编号NO.	名称Name
①	面板Top panel
②	底板Bottom board
③	上转角木Upper corner connecting wood
④	下转角木Lower corner connection wood
⑤	左侧板Side board (L)
⑥	右侧板Side board (R)
⑦	中侧板Middle side board
⑧	上拉条Top brace
⑨	前脚条Front foot strip
⑩	侧脚条Side foot strip
⑪	背板Back board
⑫	左抽屉面板Drawer's panel (L)
⑬	右抽屉面板Drawer's panel (R)
⑭	中抽屉面板Drawer's middle board
⑮	抽屉侧板Drawer's sideboard
⑯	抽屉后板Drawer's Back board
⑰	抽屉底板Drawer's Bottom board




RU1M-G 2.4米抽屉款

安装方法/
Installation method




二合一 two-in-one


阀门开关(下压为开)
Valve switch (press down to open)



(A) *16




(B) *16




× 4


1



(A) *16



(B) *16




× 4


2



(D) *4




(F) *24



× 4


3





(A) *4



(B) *4




(C) *4



4


RU1M-G 2.4米抽屉款

安装方法/
Installation method




二合一 two-in-one


- (A)*6
- (B)*6
- (C)*6




- (A)*6
- (B)*6
- (C)*4
- (I)*2



- (A)*4
- (B)*4
- (C)*4





- (A)*14
- (B)*14
- (C)*10




RU1M-G 2.4米抽屉款

安装方法/
Installation method




背板扣
Back Plate Buckle

阀门开关(下压为开)
Valve switch (press down to open)




主轨 Main track
副轨 Sub track
三节滚珠导轨
Three-section rail

(E) *14
(G) *14




9

(F) *10
(H) *10




10

(D) *4
(F) *24



11



12