




LINSY 林氏家居




安装示意图/Assembly Instruction

产品名称 Model NO.	ZH2T-A 1.2m矮餐边柜
产品规格 Specification	1187*398*903mm
安装工具 Tool	安装人数 Installer
	

注：为保证设计效果，部分尺寸为定制尺寸，不影响使用。




五金表/Hardware list

 (A) *93 大三合一锁饼 3-in-1 large lock	 (B) *93 二合一螺杆 2-in-1-screw	 (C) *3 三节滚珠导轨10" Three-section rail	 (D) *51 自攻螺丝M3.5*14mm Tapping screw
 (E) *21 木榫-Φ8*30 Wood tenon	 (F) *4 缓冲门铰大弯-杯径Φ35 Great bend hinge	 (G) *8 层板托5mm shelf support	 (H) *9 灰色毛毡垫 Foot pad
 (I) *1 家具防倒器-白色 Anti-fall device			

部件表/Parts List


编号NO.	名称Name	规格(mm) Specification	数量QTY	材质Material
①	面板Top panel	1187*398*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
②	底板Bottom board	1187*398*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
③	左右侧板Left and right side panels	690*397*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
④	左中侧板Middle side board(L)	690*334*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
⑤	右中侧板Middle side board(R)	690*334*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
⑥	活动层板Movable shelf	338.5*332*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
⑦	背板Back board	1155*345*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
⑧	外侧脚 Outer side of the foot	180*368*45	2	无醛定向刨花板 Aldehyde-free directional particleboard
⑨	中脚Middle foot	180*368*45	1	无醛定向刨花板 Aldehyde-free directional particleboard
⑩	脚拉条 leg pull strap	446*80*15	4	无醛定向刨花板 Aldehyde-free directional particleboard
⑪	抽面组立Face assembly	448*227*30	3	无醛定向刨花板 Aldehyde-free directional particleboard+橡胶木 Rubber wood
11-1	抽面 draw noodles	448*227*15	3	无醛定向刨花板 Aldehyde-free directional particleboard
11-2	抽屉拉手Drawer handle	226*20*15	6	橡胶木 Rubber wood
⑫	抽尾 tail pulling	420*174*15	3	无醛定向刨花板 Aldehyde-free directional particleboard
⑬	抽侧 Side draw	290*174*15	6	无醛定向刨花板 Aldehyde-free directional particleboard
⑭	抽底 draw the bottom	400*300*5	3	ENF级纤维板 ENF grade fiberboard
⑮	门板组立Door panel assembly	685*344*30	2	无醛定向刨花板 Aldehyde-free directional particleboard+橡胶木 Rubber wood
15-1	门板Door board	685*344*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
15-2	门拉手Door handle	684*20*15	2	橡胶木 Rubber wood



编号NO.	名称Name
①	面板Top panel
②	底板Bottom board
③	左右侧板Left and right side panels
④	左中侧板Middle side board(L)
⑤	右中侧板Middle side board(R)
⑥	活动层板Movable shelf
⑦	背板Back board
⑧	外侧脚 Outer side of the foot
⑨	中脚Middle foot
⑩	脚拉条 leg pull strap
⑪	抽面组立Face assembly
11-1	抽面 draw noodles
11-2	抽屉拉手Drawer handle
⑫	抽尾 tail pulling
⑬	抽侧 Side draw
⑭	抽底 draw the bottom
⑮	门板组立Door panel assembly
15-1	门板Door board
15-2	门拉手Door handle


安装方法

Installation method




二合一 two-in-one

阀门开关(下压为开)
Valve switch (press down to open)



主轨 Main track



副轨 Sub track


三节滚珠导轨-10"
Three-section rail



(A)*12



(B)*12




1



(A)*12



(B)*12



2

3



(A)*16



(B)*16




(H)*9




(C)*3



(D)*24




4



ZH2T-A 1.2m矮餐边柜

安装方法

Installation method




二合一 two-in-one



(A) *16



(B) *16




5



(E) *4


6



(A) *8



(B) *8



7



(A) *12




(B) *12



(E) *8

8



ZH2T-A 1.2m矮餐边柜

安装方法

Installation method

阀门开关(下压为开)
Valve switch (press down to open)

前 Forward 后 Back

主轨 Main track

副轨 Sub track

三节滚珠导轨-10"
Three-section rail

大弯big bend

中弯middle bending

直弯straight bending

侧板
side board



门板
Door panel

调节上下
Adjust up and down



调节左右
Adjust left and right

调节前后
Before and after adjustment


门铰Hinge



9





10



11



12






LINSY 林氏家居





安装示意图/Assembly Instruction

产品名称 Model NO.	ZH2T-A 1.5m矮餐边柜
产品规格 Specification	1487*398*903mm
安装工具 Tool	安装人数 Installer
	

注：为保证设计效果，部分尺寸为定制尺寸，不影响使用。




五金表/Hardware list

 (A) *93 大三合一锁饼 3-in-1 large lock	 (B) *93 二合一螺杆 2-in-1-screw	 (C) *3 三节滚珠导轨10" Three-section rail	 (D) *51 自攻螺丝M3.5*14mm Tapping screw
 (E) *21 木榫-Φ8*30 Wood tenon	 (F) *4 缓冲门铰大弯-杯径Φ35 Great bend hinge	 (G) *8 层板托5mm shelf support	 (H) *9 灰色毛毡垫 Foot pad
 (I) *1 家具防倒器-白色 Anti-fall device			

部件表/Parts List


编号NO.	名称Name	规格(mm) Specification	数量QTY	材质Material
①	面板Top panel	1487*398*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
②	底板Bottom board	1487*398*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
③	左右侧板Left and right side panels	690*397*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
④	左中侧板Middle side board(L)	690*334*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
⑤	右中侧板Middle side board(R)	690*334*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
⑥	活动层板Movable shelf	440.5*332*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
⑦	背板Back board	1455*345*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
⑧	外侧脚 Outer side of the foot	180*368*45	2	无醛定向刨花板 Aldehyde-free directional particleboard
⑨	中脚Middle foot	180*368*45	1	无醛定向刨花板 Aldehyde-free directional particleboard
⑩	脚拉条 leg pull strap	596*80*15	4	无醛定向刨花板 Aldehyde-free directional particleboard
⑪	抽面组立Face assembly	554*227*30	3	无醛定向刨花板 Aldehyde-free directional particleboard+橡胶木 Rubber wood
11-1	抽面 draw noodles	554*227*15	3	无醛定向刨花板 Aldehyde-free directional particleboard
11-2	抽屉拉手Drawer handle	226*20*15	6	橡胶木 Rubber wood
⑫	抽尾 tail pulling	516*174*15	3	无醛定向刨花板 Aldehyde-free directional particleboard
⑬	抽侧 Side draw	290*174*15	6	无醛定向刨花板 Aldehyde-free directional particleboard
⑭	抽底 draw the bottom	496*300*5	3	ENF级纤维板 ENF grade fiberboard
⑮	门板组立Door panel assembly	685*446*30	2	无醛定向刨花板 Aldehyde-free directional particleboard+橡胶木 Rubber wood
15-1	门板Door board	685*446*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
15-2	门拉手Door handle	684*20*15	2	橡胶木 Rubber wood



编号NO.	名称Name
①	面板Top panel
②	底板Bottom board
③	左右侧板Left and right side panels
④	左中侧板Middle side board(L)
⑤	右中侧板Middle side board(R)
⑥	活动层板Movable shelf
⑦	背板Back board
⑧	外侧脚 Outer side of the foot
⑨	中脚Middle foot
⑩	脚拉条 leg pull strap
⑪	抽面组立Face assembly
11-1	抽面 draw noodles
11-2	抽屉拉手Drawer handle
⑫	抽尾 tail pulling
⑬	抽侧 Side draw
⑭	抽底 draw the bottom
⑮	门板组立Door panel assembly
15-1	门板Door board
15-2	门拉手Door handle


安装方法

Installation method




二合一 two-in-one

阀门开关(下压为开)
Valve switch (press down to open)











主轨 Main track



副轨 Sub track


三节滚珠导轨-10"
Three-section rail



ZH2T-A 1.5m矮餐边柜

安装方法

Installation method




二合一 two-in-one



(A)*16




(B)*16



5



(E)*4




6



(A)*8



(B)*8



7




(A)*12



(B)*12



(E)*8



8

ZH2T-A 1.5m矮餐边柜

安装方法

Installation method

阀门开关(下压为开)
Valve switch (press down to open)

前 Forward 后 Back

主轨 Main track

副轨 Sub track

三节滚珠导轨-10"
Three-section rail

大弯big bend

中弯middle bending

直弯straight bending

侧板
side board


门板
Door panel

调节上下
Adjust up and down



调节左右
Adjust left and right

调节前后
Before and after adjustment


门铰Hinge



9




10



11

12




ZH2T-A 1.5m矮餐边柜

安装方法

Installation method





(I)*1




LINSY 林氏家居





安装示意图/Assembly Instruction

产品名称 Model NO.	ZH2T-A 1.8m矮餐边柜
产品规格 Specification	1487*398*903mm
安装工具 Tool	安装人数 Installer
	

注：为保证设计效果，部分尺寸为定制尺寸，不影响使用。




五金表/Hardware list

 (A) *109 二合一螺杆 2-in-1-screw	 (B) *109 大三合一锁饼 3-in-1 large lock	 (C) *3 三节滚珠导轨10" Three-section rail	 (D) *51 自攻螺丝M3.5*14mm Tapping screw
 (E) *21 木榫-Φ8*30 Wood tenon	 (F) *4 缓冲门铰大弯-杯径Φ35 Great bend hinge	 (G) *8 层板托5mm shelf support	 (H) *9 灰色毛毡垫 Foot pad
 (I) *1 家具防倒器-白色 Anti-fall device			

部件表/Parts List


编号NO.	名称Name	规格(mm) Specification	数量QTY	材质Material
①	面板Top panel	1788*398*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
②	底板Bottom board	1788*398*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
③	左侧板Side board(L)	690*397*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
④	左中侧板Middle side board(L)	690*334*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
⑤	右中侧板Middle side board(R)	690*334*15	1	无醛定向刨花板 Aldehyde-free directional particleboard
⑥	活动层板Movable shelf	543*332*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
⑦	背板Back board	1756*345*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
⑧	外侧脚 Outer side of the foot	180*368*45	2	无醛定向刨花板 Aldehyde-free directional particleboard
⑨	中脚Middle foot	180*368*45	1	无醛定向刨花板 Aldehyde-free directional particleboard
⑩	脚拉条 leg pull strap	746*80*15	4	无醛定向刨花板 Aldehyde-free directional particleboard
⑪	抽面组立Face assembly	650*227*15	3	无醛定向刨花板 Aldehyde-free directional particleboard+橡胶木 Rubber wood
11-1	抽面 draw noodles	650*227*15	3	无醛定向刨花板 Aldehyde-free directional particleboard
11-2	抽屉拉手Drawer handle	226*20*15	6	橡胶木 Rubber wood
⑫	抽尾 tail pulling	612*174*15	3	无醛定向刨花板 Aldehyde-free directional particleboard
⑬	抽侧 Side draw	290*174*15	6	无醛定向刨花板 Aldehyde-free directional particleboard
⑭	抽屉底托条Drawer's bottom bracket	290*58*15	3	无醛定向刨花板 Aldehyde-free directional particleboard
⑮	抽底 draw the bottom	592*300*5	3	ENF级纤维板 ENF grade fiberboard
⑯	门板组立Door panel assembly	685*549*15	2	无醛定向刨花板 Aldehyde-free directional particleboard+橡胶木 Rubber wood
16-1	门板Door board	685*549*15	2	无醛定向刨花板 Aldehyde-free directional particleboard
16-2	门拉手Door handle	684*20*15	2	橡胶木 Rubber wood



编号NO.	名称Name
①	面板Top panel
②	底板Bottom board
③	左侧板Side board(L)
④	左中侧板Middle side board(L)
⑤	右中侧板Middle side board(R)
⑥	活动层板Movable shelf
⑦	背板Back board
⑧	外侧脚 Outer side of the foot
⑨	中脚Middle foot
⑩	脚拉条 leg pull strap
⑪	抽面组立Face assembly
11-1	抽面 draw noodles
11-2	抽屉拉手Drawer handle
⑫	抽尾 tail pulling
⑬	抽侧 Side draw
⑭	抽屉底托条Drawer's bottom bracket
⑮	抽底 draw the bottom
⑯	门板组立Door panel assembly
16-1	门板Door board
16-2	门拉手Door handle


安装方法

Installation method




二合一 two-in-one

阀门开关(下压为开)
Valve switch (press down to open)




主轨 Main track



副轨 Sub track


三节滚珠导轨-10"
Three-section rail




(A)*18



(B)*18




1



(A)*18




(B)*18



2

3




(A)*16



(B)*16




(H)*9




(C)*3



(D)*24




4




ZH2T-A 1.8m矮餐边柜

安装方法

Installation method




二合一 two-in-one



(A) *20



(B) *20




5




(E) *4

6





7



(A) *8



(B) *8



(A) *12




(B) *12



(E) *8

8



ZH2T-A 1.8m矮餐边柜

安装方法

Installation method

阀门开关(下压为开)
Valve switch (press down to open)

前 Forward 后 Back

主轨 Main track

副轨 Sub track

三节滚珠导轨-10"
Three-section rail

大弯big bend

中弯middle bending

直弯straight bending

侧板
side board


门板
Door panel

调节上下
Adjust up and down



调节左右
Adjust left and right

调节前后
Before and after adjustment


门铰Hinge




9



10



11



12



ZH2T-A 1.8m矮餐边柜

安装方法

Installation method



(I)*1



I处放大图
Enlarged view at E

